

Product Introduction:

Sound Plug's ability to produce high-end goosenecks that keep their shape, are durable, are silent and are highly recoil resistant has earned us a reputation as a gooseneck supplier of choice for many of the world's most discerning customers. We have a dedicated team that is solely charged with gooseneck research and development, design and production. Our gooseneck team members love what they do and they take the art of gooseneck design and production with utmost pride and seriousness. Sound Plug goosenecks, masterfully crafted to suit your needs.



GOOSENECK LAMP

Low power consumption. High luminous efficacy. Low voltage. Sound Plug LED lights are environmentally friendly and highly efficient. High intensity light. Hospital-grade color rendering index. Natural white light color temperature. 120 degree wide viewing angle. Sound Plug LED lights cover more viewing area and let you see clearer details and more vivid colors. IEC-62471 LED blue-light hazard protection compliance ensures all Sound Plug LED lights meet international standards on protecting your eyes from harmful optical radiation.

3 PCS LED Test Standard


CIE 70 The Measurement of Absolute Luminous Intensity Distributions. CIE84-1989 The Measurement of Luminous Flux. CIE63-1984 The Spectroradiometric Measurement of Light Sources. IESNA TM-16-05 IESNA Technical Memorandum on Light Emitting Diode (LED) Sources and systems

1.Input Power: 0.72W
2.Voltage: 12V
3.Amperage: 60mA

4.Peak Intensity: 17.5Candela
5.Luminous Efficacy 63.88%
6.Color rendering index: 82%
7.Correlated color temperature: 5739K

Certification : CE \ EN-62471 \ RoHS





When you need a small but flexible light source to illuminate your mixer, soundboard, light board, music stand, computer keyboard, server rack and other similar applications, look no further than Sound Plug's line of flexible gooseneck lamps. Sound Plug gooseneck lamps; choices, flexibility, possibilities.



ITEM	SIZE	LAMP	CONNECTOR	COLOR	SPEC.
GL-301	8*370MM	BIG HOOD KRYPTON	XLR	BLACK E-COATING	5W,12V,350Lux
GL-301H	8*370MM	BIG HOOD HALOGEN	XLR	BLACK E-COATING	2W,12V,70Lux
GL-303	8*370MM	SMALL HOOD KRYPTON	XLR	BLACK E-COATING	5W,12V,170Lux
GL-303H	8*370MM	SMALL HOOD HALOGEN	XLR	BLACK E-COATING	2W,12V,40Lux
GL-305	8*370MM	3 PCS LED	XLR	BLACK E-COATING	0.6W,12V,235Lux
GL-305S	8*275MM	3 PCS LED	XLR	BLACK E-COATING	0.6W,12V,235Lux
GL-307	8*370MM	3 PCS LED+SWITCH	XLR	BLACK E-COATING	0.6W,12V,235Lux
GL-311	8*360MM	3 PCS LED	XLR WITH RIGHT ANGLE	BLACK E-COATING	0.6W,12V,235Lux
GL-324	8*360MM	3 PCS LED	XLR WITH RIGHT ANGLE	BLACK E-COATING	0.6W,12V,235Lux

GOOSENECK LAMP WITH BNC/TNC CONNECTOR



ITEM	SIZE	LAMP	CONNECTOR	COLOR	SPEC.
GL-302	8*370MM	BIG HOOD KRYPTON	BNC	BLACK E-COATING	5W,12V,350Lux
GL-302H	8*370MM	BIG HOOD HALOGEN	BNC	BLACK E-COATING	2W,12V,70Lux
GL-304	8*370MM	SMALL HOOD KRYPTON	BNC	BLACK E-COATING	5W,12V,170Lux
GL-304H	8*370MM	SMALL HOOD HALOGEN	BNC	BLACK E-COATING	2W,12V,40Lux
GL-306	8*367MM	3 PCS LED	BNC	BLACK E-COATING	0.6W,12V,235Lux
GL-306S	8*275MM	3 PCS LED	BNC	BLACK E-COATING	0.6W,12V,235Lux
GL-308	8*367MM	3 PCS LED+SWITCH	BNC	BLACK E-COATING	0.6W,12V,235Lux
GL-309	8*365MM	3 PCS LED	TNC	BLACK E-COATING	0.6W,12V,235Lux
GL-319	8*365MM	3 PCS LED+SWITCH	TNC	BLACK E-COATING	0.6W,12V,235Lux
GL-329	8*365MM	3 PCS LED(WHITE/RED)+SWITCH	TNC	BLACK E-COATING	0.6W,12V,235Lux

Gound Plug www.soundplugtw.com

Gound Plug www.soundplugtw.com

GOOSENECK LAMP WITH MANGENP




ITEM	SIZE	LAMP	CONNECTOR	COLOR	SPEC.
GL-320-1	8*373.8MM	SMALL HOOD HALOGEN	BNC WITH STAND	BLACK E-COATING	2W,12V,40Lux
GL-320-2	8*373.8MM	3 PCS LED	BNC WITH STAND	BLACK E-COATING	0.6W,12V,235Lux
GL-319-1	8*373.8MM	3 PCS LED WITH THE	BNC WITH STAND	BLACK E-COATING	0.6W,12V,235Lux
		50%-100% DIMMING			
GL-326	8*373.8MM	3 PCS LED	MANGENT	BLACK E-COATING	0.6W,12V,235Lux

GOOSENECK LAMP WITH CLIP

GOOSENECK LAMP WITH USB CONNECTOR



ITEM	SIZE	LAMP	CONNECTOR	COLOR	SPEC.
GL-322-1	6*200 MM	8 PCS LED	CLIP+AC/DC ADAPTER	BLACK E-COATING	0.45W,5V,145Lux
GL-322-2	6*200 MM	8 PCS LED	CLIP+BATTERY	BLACK E-COATING	0.45W,5V,145Lux
GL-323-1	6*406 MM	8 PCS LED+SWITCH	USB	BLACK PAINTED	0.45W,5V,145Lux
GL-323-2	5*406 MM	8 PCS LED+SWITCH	USB	BLACK PAINTED	0.45W,5V,145Lux
GL-323-3	6*406 MM	8 PCS LED+SWITCH	USB	BLACK E-COATING	0.45W,5V,145Lux
GL-323-4	5*406 MM	8 PCS LED+SWITCH	USB	BLACK E-COATING	0.45W,5V,145Lux



ITEM	SIZE	LAMP	COLOR	SPEC.
RAL	8*230 MM	KRYPTON	BLACK E-COATING	10W,12V,350Lux*2
RAL-H	8*230 MM	HALOGEN	BLACK E-COATING	4W,12V,70Lux*2
RAL-S	8*230 MM	KRYPTON	SILVER	10W,12V,350Lux*2
RAL-2L	6*242 MM	8 PCS LED+SWITCH	BLACK E-COATING	0.9W,5V,145Lux*2

GOOSENECK - MICROPHONE SERIES

Stringent quality control standards, carefully selected material, expert craftsmanship, 2.6mm to 20mm OD range, audio feedback elimination and long product lifespan are some of the reasons that Sound Plug goosenecks are the goosenecks of choice for leading microphone manufacturers around the world. From concept to delivery, Sound Plug has a devoted gooseneck project team to work with your gooseneck project needs.





▲GLA-A

▲GLA-1A


Gound Plug www.soundplugtw.com

ITEM	FLEXIBLE	CONNECTOR	COLOR
GLA-A	13*360MM	XLR FEMALE WITH LOCK RING TO XLR MALE CONNECTOR	BLACK E-COATING
GLA-B	15*511MM	XLR FEMALE WITH LOCK RING TO XLR MALE CONNECTOR	BLACK E-COATING
GLA-1A	13*360MM	XLR FEMALE TO XLR MALE CONNECTOR	BLACK E-COATING
GLA-1B	15*511MM	XLR FEMALE TO XLR MALE CONNECTOR	BLACK E-COATING

Sound screen /

Professional recording microphone audio filter to reduce high-frequency noise.





Sound Screen Shockmount

Adjustable clamping angles



▲CT-B

	ITEM	SIZE	COLOR
0	GS-1	6" MICROPHONE SOUND SCREEN WITH GOOSENECK AND SHOCK MOUNT	BLACK E-COATING
6	СТ-В	SOUND SCREEN SHOCKMOUNT	BLACK E-COATING
	12		

Gound Plug www.soundplugtw.com

CNC machined parts: solving assembly challenges with precisely and consistently produced parts and components.



GOOSENECK - OEM and ODM

Flexible metal tubes, 2.6mm to 20mm OD, produced to customer specifications.





