

ADAPTER-MA SERIES

The best choice for two-way connection. Customizable to your project requirements and design specifications.

Product Introduction:

Distinctive designs to solve various audio adapter and cable OD connecting problems. Low contact resistance for clearer and smoother audio signal transference. Metal material shell absorbs shock and impact. Custom designs also available.

ORDER CODE:


MA	(Contact)	(Type)	(Contact TYPE -1)	(Contact TYPE -2)	(Contact TYPE -3)
	PIN Q'TY				
		MALE/FEMALE STYLE F:FEMALE XLR M:MALE XLR	M:MONO S:STEREO R:RCA	P: PLUG J: JACK	1: GROUND INSULATION

EX. MA-3MRP1


3 PIN XLR MALE CONNECTOR TO RCA PLUG/GROUND INSULATION



MA-FMP



MA-MMP




▲ MA-FMP


ITEM	SHELL	CONTACT	CONTACT COLOR	CONTACT Q'TY
MA-FMP	FEMALE, NICKEL PLATED	XLR FEMALE TO 6.3 MONO PLUG	NICKEL	3P-5P
MA-MMP	MALE, NICKEL PLATED	XLR MALE TO 6.3 MONO PLUG	NICKEL	3P-5P

▲ MA-MMP

MA-FSP



MA-MSP




▲ MA-FSP


▲ MA-MSP

ITEM	SHELL	CONTACT	CONTACT COLOR	CONTACT Q'TY
MA-FSP	FEMALE, NICKEL PLATED	XLR FEMALE TO 6.3 STEREO PLUG	NICKEL	3P-5P
MA-MSP	MALE, NICKEL PLATED	XLR MALE TO 6.3 STEREO PLUG	NICKEL	3P-5P

MA-FRP



MA-FRP1




▲ MA-FRP


▲ MA-FRP1

ITEM	SHELL	CONTACT	CONTACT COLOR	CONTACT Q'TY
MA-FRP	FEMALE, NICKEL PLATED	XLR FEMALE TO RCA PLUG	NICKEL	3P-5P
MA-FRP1	FEMALE, NICKEL PLATED	XLR FEMALE TO RCA PLUG/GROUND INSULATION	NICKEL	3P-5P

MA-MRP




MA-MRP1




▲ MA-MRP

ITEM	SHELL	CONTACT	CONTACT COLOR	CONTACT Q'TY
MA-MRP	MALE, NICKEL PLATED	XLR MALE TO RCA PLUG	NICKEL	3P-5P
MA-MRP1	MALE, NICKEL PLATED	XLR MALE TO RCA PLUG/GROUND INSULATION	NICKEL	3P-5P

MA-FRJ




MA-FRJ1




▲ MA-FRJ

ITEM	SHELL	CONTACT	CONTACT COLOR	CONTACT Q'TY
MA-FRJ	FEMALE, NICKEL PLATED	XLR FEMALE TO RCA JACK	NICKEL	3P-5P
MA-FRJ1	FEMALE, NICKEL PLATED	XLR FEMALE TO RCA JACK/GROUND INSULATION	NICKEL	3P-5P

MA-MRJ




MA-MRJ1




▲ MA-MRJ

ITEM	SHELL	CONTACT	CONTACT COLOR	CONTACT Q'TY
MA-MRJ	MALE, NICKEL PLATED	XLR MALE TO RCA JACK	NICKEL	3P-5P
MA-MRJ1	MALE, NICKEL PLATED	XLR MALE TO RCA JACK/GROUND INSULATION	NICKEL	3P-5P

MA-FSJ, MA-FMJ




MA-MSJ, MA-MMJ



▲ MA-FSJ


ITEM	SHELL	CONTACT	CONTACT COLOR	CONTACT Q'TY
MA-FSJ	FEMALE, NICKEL PLATED	XLR FEMALE TO 6.3 STEREO JACK	NICKEL	3P-5P
MA-FMJ	FEMALE, NICKEL PLATED	XLR FEMALE TO 6.3 MONO JACK	NICKEL	3P-5P
MA-MSJ	MALE, NICKEL PLATED	XLR MALE TO 6.3 STEREO JACK	NICKEL	3P-5P
MA-MMJ	MALE, NICKEL PLATED	XLR MALE TO 6.3 MONO JACK	NICKEL	3P-5P

MA-MTQM




▲ MA-MTQM


ITEM	SHELL	CONTACT	CONTACT COLOR	CONTACT Q'TY
MA-MTQM	MALE, NICKEL PLATED	XLR MALE TO 3P-6P MINI XLR MALE	NICKEL, GOLD(MINI XLR)	3P-6P
MA-MTQF	MALE, NICKEL PLATED	XLR MALE TO 3P-6P MINI XLR FEMALE	NICKEL, GOLD(MINI XLR)	3P-6P



MA-MSJ1



MA-MM



▲ MA-MSJ1

ITEM	SHELL	CONTACT	CONTACT COLOR	CONTACT Q'TY
MA-MSJ1	NICKEL PLATED	XLR MALE TO 3.5 JACK	NICKEL	3P-5P
MA-MM	MALE, NICKEL PLATED	XLR MALE TO XLR MALE	NICKEL	3P-5P

▲ MA-MM

MA-FM



▲ MA-FM


▲ MA-FF

ITEM	SHELL	CONTACT	CONTACT COLOR	CONTACT Q'TY
MA-FM	NICKEL PLATED	XLR FEMALE TO XLR MALE	NICKEL	3P-5P
MA-FF	FEMALE, NICKEL PLATED	XLR FEMALE TO XLR FEMALE	NICKEL	3P-5P

MALB-FM

MALB-FM-1

Prevents preamplifier overload when strong signals are applied. Provides 15, 20 or 25 db of microphone attenuation. Requires use of balanced signal XLR female in and XLR out.




▲ MALB-FM

▲ MALB-FM-1

ITEM	SHELL	CONTACT	CONTACT COLOR	CONTACT Q'TY
MALB-(*)F(*)M	ALUMINUM, BLACK PAINTED	XLR FEMALE TO XLR MALE	NICKEL	3P-5P
MALB-(*)F(*)M-1	ALUMINUM, BLACK PAINTED	XLR FEMALE TO XLR MALE/260:32.5K TRANSFORMER/SWITCH ON/OFF	NICKEL	3P-5P
MALB-(*)F(*)M-2	ALUMINUM, BLACK PAINTED	XLR FEMALE TO XLR MALE/260:32K/14.5K/3.3K TRANSFORMER/SWITCH ON/OFF	NICKEL	3P-5P

MALB-FMP

MALB-FMPS



▲ MALB-FMP

▲ MALB-FMPS

ITEM	SHELL	CONTACT	CONTACT COLOR	CONTACT Q'TY
MALB-(*)FMP	ALUMINUM, BLACK PAINTED	XLR FEMALE TO 6.3 MONO PLUG/600:20K TRANSFORMER WITH OD 5MM CABLE	NICKEL	3P-5P
MALB-(*)FMPS	ALUMINUM, BLACK PAINTED	XLR FEMALE TO 6.3 MONO PLUG/600:20K TRANSFORMER SWITCH ON/OFF WITH OD 5MM CABLE	NICKEL	3P-5P

MA-JP

MA-JT

Compatible with various brands of wireless transmitters conversion connectors.



▲ MA-JP

▲ MA-3JT

▲ MA-4JT

ITEM	SHELL	CONTACT	CONTACT COLOR	CONTACT Q'TY
MA-JP	SKIN PLATED	3.5 STEREO PLUG TO 3.5 JACK	NICKEL	
MA-(*)JT	SKIN PLATED	MINI XLR CONNECTOR TO 3.5 JACK	GOLD	3P-6P

Ø 3.5 PLUG TO Ø3.5 JACK---INLINE ADAPTER



▲ MA35M-J35M

▲ MA35M-J35S

▲ MA35S-J35M

ITEM	PLUG	JACK	SHELL
MA35M-J35M	3.5 MONO PLUG	3.5 MONO JACK	NICKEL
MA35M-J35S	3.5 MONO PLUG	3.5 STEREO JACK	NICKEL
MA35S-J35M	3.5 STEREO PLUG	3.5 MONO JACK	NICKEL

Ø 3.5 PLUG TO Ø 6.3 JACK---INLINE ADAPTER



▲ MA35M-J63M

▲ MA35M-J63S

▲ MA35S-J63S

ITEM	PLUG	JACK	SHELL
MA35M-J63M	3.5 MONO PLUG	6.3 MONO JACK	PLASTIC
MA35M-J63S	3.5 MONO PLUG	6.3 STEREO JACK	PLASTIC
MA35S-J63S	3.5 STEREO PLUG	6.3 STEREO JACK	PLASTIC

Ø 6.3 PLUG TO Ø3.5 JACK---INLINE ADAPTER



▲ MA63M-J35M

▲ MA63M-J35S


▲ MA63S-J35S

▲ MA63S-J35SJ

ITEM	PLUG	JACK	SHELL
MA63M-J35M	6.3 MONO PLUG	3.5 MONO JACK	PLASTIC
MA63M-J35S	6.3 MONO PLUG	3.5 STEREO JACK	PLASTIC
MA63S-J35S	6.3 STEREO PLUG	3.5 STEREO JACK	PLASTIC
MA63S-J35SJ	6.3 STEREO PLUG	3.5 STEREO JACK	N/A

TRANSFORMER

Available options to suit your project needs



▲ MT-260-32

▲ MT-FXMP-100

▲ MT-600-20

ITEM	SPECIFICATION	COLOR
MT-260-32	260:32K	YELLOW
MT-FXMP-100	260:32.5K	BLUE
MT-600-20	600:20K	GREEN

HDMI

Providing the best interconnect solutions for HDMI



▲ HDMI-1

▲ HDMI-2

ITEM	MATERIAL	COLOR
HDMI-1	JACK	BLACK
HDMI-2	PLUG	BLACK

CONNECTOR--CB SERIES

The best choice for communications connectors.

Product Introduction:

Suitable for broadcast and communication equipment. Its 2-8 pin contacts increase the adaptability of your product. It also has superb insulation for high voltage output and the lock ring design provides connectivity and stability of audio signal transfer.

ORDER CODE:

CB	(Contact)	(Type)
PIN Q'TY		MALE/FEMALE STYLE F:FEMALE M:MALE

EX. CB-3FL

3 PIN FEMALE CONNECTOR