

CABLE SERIES


The best choice for cables. Special wire development and manufacturing.

Product Introduction:

IPC certified manufacturing process, UL and RoHS compliant products.
Wide variety of cable assemblies with high quality connectors designed to transmit stable signals.
Providing OEM cable services.



Coxial cable



TYPE	Conductor		Insulation		Braid Shield			Jacket		Nom. Imped Ohm	Nom. Capa. pF/m	Attenuation 100MHz db/Km
	No./mm	MTRL	mm	MTRL	No./mm	No./mm	MTRL	mm	MTRL			
MICROPHONE CABLE	0.1X10X2P	BC	3	PE	0.08	8X8	TC	5~6	PVC	600	94	94
INSTRUMENT CABLE	0.1X10	BC	3.5	PE+PVC	0.08	8X8	TC	5~6	PVC	50	94	94

PLUG WITH PLUG



▲ W-N-P101-10-BS-I

▲ W-N-P101-10-NS-I

▲ W-N-P101-10-PR-1

ITEM	CONNECTOR 1	CONNECTOR 2	OD	LENGTH	CABLE COVER
W-N-P101-10-BS-I	6.3 MONO PLUG /BLACK CHROME PLATED SHELL	6.3 MONO PLUG	5MM	5-20FT	NYLON
W-N-P101-10-NS-I	6.3 MONO PLUG /SATIN NICKEL PLATED SHELL	6.3 MONO PLUG	5MM	5-20FT	NYLON
W-N-P101-10-CS-I	6.3 MONO PLUG /SATIN CHROME PLATED SHELL	6.3 MONO PLUG	5MM	5-20FT	NYLON
W-N-P101-10-PR-I	6.3 MONO PLUG /MATTE RED PLATED SHELL	6.3 MONO PLUG	5MM	5-20FT	NYLON

RCA WITH RCA



▲ W-RCA108A-(*)

▲ W-RCA108B-(*)


ITEM	CONNECTOR	OD	LENGTH	CABLE COVER
W-RCA108A-N	TeCu WITH GOLD PLATED/SATIN NICKEL PLATED WITH LOCK	5MM	5-20FT	PVC
W-RCA108A-B	TeCu WITH GOLD PLATED/BLACK PAINTED WITH LOCK	5MM	5-20FT	PVC
W-RCA108B-N	TeCu WITH GOLD PLATED/SATIN NICKEL PLATED WITH LOCK	5MM	5-20FT	PVC
W-RCA108B-B	TeCu WITH GOLD PLATED/BLACK PAINTED WITH LOCK	5MM	5-20FT	PVC

▲ W-(*)R

▲ W-RCA/RCA

ITEM	CONNECTOR	OD	LENGTH	CABLE COVER
W-(*)R	RCA PLUG * 3	5MM	5-20FT	PVC
W-RCA/RCA	RCA PLUG WITH GOLD PLATED/NICKEL PLATED	5MM	5-20FT	PVC

Biaxial cable



AWG STRANDING	NO. OF CONDUCTOR	INSULATION		SHIELD(mm)	JACKET	
		OD(mm)	MATERIAL		OD(mm)	MATERIAL
24	0.12*20	2	1.75	PE	BRAIDED, 0.12/7*16	5 PVC

XLR WITH PLUG



▲ W-P63M/NF-10-N-1

▲ W-P63M/HF-10-N-1

▲ W-P63M/LF-10-N-1

ITEM	CONNECTOR 1	CONNECTOR 2	OD	LENGTH	CABLE COVER
W-P63M/NF-10-N-1	3P XLR FEMALE (DAN-F) /NICKEL PLATED SHELL	6.3 MONO PLUG	5MM	5-20FT	PVC
W-P63M/NM-10-N-1	3P XLR MALE (DAN-M) /NICKEL PLATED SHELL	6.3 MONO PLUG	5MM	5-20FT	PVC
W-P63M/FF-10-N-1	3P XLR FEMALE (DAF-F) /NICKEL PLATED SHELL	6.3 MONO PLUG	5MM	5-20FT	PVC
W-P63M/FM-10-N-1	3P XLR MALE (DAF-M) /NICKEL PLATED SHELL	6.3 MONO PLUG	5MM	5-20FT	PVC
W-P63M/HF-10-N-1	3P XLR FEMALE (DAH-F) /NICKEL PLATED SHELL	6.3 MONO PLUG	5MM	5-20FT	PVC
W-P63M/HM-10-N-1	3P XLR MALE (DAH-M) /NICKEL PLATED SHELL	6.3 MONO PLUG	5MM	5-20FT	PVC
W-P63M/LF-10-N-1	3P XLR FEMALE RIGHT ANGLE (DAL-F) /NICKEL PLATED SHELL	6.3 MONO PLUG	5MM	5-20FT	PVC
W-P63M/LM-10-N-1	3P XLR MALE RIGHT ANGLE (DAL-M) /NICKEL PLATED SHELL	6.3 MONO PLUG	5MM	5-20FT	PVC
W-P100-10-NS-I	6.3 MONO PLUG /SATIN NICKEL PLATED SHELL	6.3 MONO PLUG	5MM	5-20FT	PVC
W-P100/NF-10-NS-I	3P XLR FEMALE / NICKEL PLATED SHELL	6.3 MONO PLUG	5MM	5-20FT	PVC

XLR WITH PLUG/MOLDING TYPE



▲ W-P63N/NFM-1

▲ W-P63N/NFMB-1

ITEM	CONNECTOR 1	CONNECTOR 2	OD	LENGTH	CABLE COVER
W-P63N/NFM-1	3P XLR FEMALE/NICKEL PLATED SHELL/MOLDING TYPE	6.3 MONO PLUG	5MM	5-20FT	PVC
W-P63N/NFMB-1	3P XLR FEMALE/BLACK CHROME SHELL/MOLDING TYPE	6.3 MONO PLUG	5MM	5-20FT	PVC

XLR WITH XLR



▲ W-NF/NM-10-N-I

▲ W-HF/HM-10-N-I

▲ W-LF/LM-10-N-I

▲ W-BNF/BNM-10-N-I

ITEM	CONNECTOR 1	CONNECTOR 2	OD	LENGTH	CABLE COVER
W-NF/NM-10-N-I	3P XLR MALE (DAN-M) /NICKEL PLATED SHELL	3P XLR FEMALE (DAN-F)	5MM	5-20FT	PVC
W-FF/FM-10-N-I	3P XLR MALE (DAF-M) /NICKEL PLATED SHELL	3P XLR FEMALE (DAF-F)	5MM	5-20FT	PVC
W-HF/HM-10-N-I	3P XLR MALE (DAH-M) /NICKEL PLATED SHELL	3P XLR FEMALE (DAH-F)	5MM	5-20FT	PVC
W-LF/LM-10-N-I	3P XLR MALE RIGHT ANGLE (DAL-M) /NICKEL PLATED SHELL	3P XLR FEMALE RIGHT ANGLE (DAL-F)	5MM	5-20FT	PVC
W-BNF/BNM-10-N-I	3P XLR MALE (DAN-BM) BLACK CHROME SHELL	3P XLR FEMALE (DAN-BF)	5MM	5-20FT	PVC

XLR WITH XLR/MOLDING TYPE



▲ W-FM/MM-1

▲ W-FMB/MMB-1

ITEM	CONNECTOR 1	CONNECTOR 2	OD	LENGTH	CABLE COVER
W-FM/MM-1	3P XLR MALE/NICKEL PLATED SHELL	3P XLR FEMALE	5MM	5-20FT	PVC
W-FMB/MMB-1	3P XLR MALE/BLACK CHROME SHELL/MOLDING	3P XLR FEMALE	5MM	5-20FT	PVC

PLUG WITH JACK



▲ W(*)P-35S

3.5 PLUG



▲ W-3.5S

ITEM	CONNECTOR	OD	LENGTH	CABLE COVER
W(*)PJ-63S	6.3 STEREO PLUG TO 6.3 JACK	5MM	5-20FT	PVC
W(*)PJ-63S-1	6.3 MONO PLUG TO 6.3 JACK	5MM	5-20FT	PVC
W(*)P-35S	3.5 STEREO PLUG TO RCA JACK	5MM	5-20FT	PVC
W-3.5S	3.5 STEREO PLUG WITH MOLDING	5MM	5-20FT	PVC

MINI XLR WITH MINI XLR




▲ W-TQF-10-N-1

▲ W-TQF/TQM-10-N-I

ITEM	CONNECTOR 1	CONNECTOR 2	OD	LENGTH	CABLE COVER
W-TQF-10-N-1	3P MINI XLR MALE(TQ-3FL) /NICKEL PLATED SHELL WITH MOLDING		3MM	5-20FT	PVC
W-TQF/TQM-10-N-I	3P MINI XLR MALE (TQ-3ML) /NICKEL PLATED SHELL	3P MINI XLR FEMALE (TQ-3FL)	3MM	5-20FT	PVC

HDMI

Multiaxial cable



OD	CABLE
OD=10.0MM	(24AWG*1P+EAM)*4+24AWG*1P+24AWG*5C+AB
OD=7.5MM	(26AWG*1P+EAM)*4+26AWG*1P+26AWG*5C+AB
OD=6.6MM	(28AWG*1P+EAM)*4+28AWG*1P+28AWG*5C+AB
OD=5.5MM	(30AWG*1P+EAM)*4+30AWG*1P+30AWG*5C+AB



▲ W-HDFM-6-N

ITEM	CONNECTOR 1	CONNECTOR 2	OD	LENGTH	CABLE COVER
W-HDFM-6-N	NICKEL PLATED SHELL/ GOLD CONTACT	HDMI	5.5MM	5-20FT	PVC
W-HDFM-10-G	GOLD PLATED SHELL/ GOLD CONTACT	HDMI	5.5MM	5-20FT	PVC

BNC



▲ W-BNC-2

ITEM	CONNECTOR 1	CONNECTOR 2	OD	LENGTH	CABLE COVER
W-BNC-2	BNC	BNC	5MM	5-20FT	PVC
W(*)BC	BNC	2 CLIPS	5MM	5-20FT	PVC

Sound Plug Quality

